

# Alfred

AD-215 / 156

自助服務 Kiosk



## 產品特點

- 螢幕可直立或橫式擺放
- 高效能處理器與儲存裝置
- 周邊擴展性強
- 體積輕盈可選配輪組方便移動



# Alfred

## 產品配置



## 安裝方式



壁掛



桌上型



落地型



# Alfred



## 規格



項目	AD-215		AD-156		
顯示螢幕	21.5" 16:9 1920 x 1080 (300 nits)		15.6" 16:9 1366 x 768 (220 nits) 15.6" 16:9 1920 x 1080 (400 nits) options		
觸控螢幕	PCAP Touch				
處理器	<b>Alder Lake-P</b> Intel® Celeron® 7305 Intel® Core™ i3-1215U Intel® Core™ i5-1245U, vPro Intel® Core™ i7-1265U, vPro		<b>Elkhart Lake</b> Intel® Celeron® J6412  <b>Kaby Lake-U</b> Intel® Core™ i3-7100U Intel® Core™ i5-7300U		
記憶體裝置 / 容量	DDR4 4GB, 8GB, 16GB, 32GB				
儲存裝置 / 容量	M.2 PCIe SSD: 128G / 256G / 512G				
外部 I/O 介面	3 x serial ports, RS-232 (RJ45), 0V/5V/12V selected in BIOS (COM1, COM2, COM3)		2 x serial ports, RS-232 (RJ45), 0V/5V/12V selected in BIOS (COM1, COM2)		
	1 x Intel LAN (IEEE 802.3 10/100/1000 Mbps)	1 x LAN (IEEE 802.3 10/100/1000 Mbps)	2 x LAN (IEEE 802.3 10/100/1000 Mbps)		
	4 x USB 3.2 + 2 x USB 2.0	3 x USB 3.2 + 3 x USB 2.0	4 x USB 3.0		
	1 x Type-C (data transfer + display)		1 x VGA		
	1 x RJ11 port support for 2 cash drawers with 24V / 12V by jumper setting				
	1 x DC +12V output				
	1 x DC +12V input				
	1 x audio (1 x line-out)				
	1 x HDMI				
喇叭	1 x speaker (3W)				
印表機	3" thermal printer				
條碼掃描器	2D barcode scanner				
外接設備 (選配)	MSR, EMV terminal brackets, 5MP camera, RFID / NFC reader, ADA keypad LED status indicator (multi-color light bar) Wheels kit: two wheels & one handle				
安裝 (選配)	Desktop stand, floor stand or wall mount (standard VESA)				
WiFi/藍芽 (選配)	Wi-Fi 6E Intel AX210, IEEE 802.11 a/b/g/n/acR2/axR2, BT 5.2				
作業系統	1. Windows 11 IoT Enterprise GAC (64bit) ready 2. Windows 10 IoT Enterprise LTSC 21H2 (64bit) 3. Linux Ubuntu 22.04		1. Windows 10 IoT Enterprise LTSC 21H2 (64bit) 2. Linux Ubuntu 18.04		
TPM & vPro	1. Intel vPro (i5/i7 CPU only) 2. S/W TPM 2.0 (BIOS)	S/W TPM 2.0 (BIOS)		1. Intel vPro (i5 CPU only) 2. S/W TPM 2.0 (BIOS)	
電源	AC-In 100~240V / DC-Out 12V, 120W		AC-In 100~240V / DC-Out 12V, 90W		
可靠性	操作溫度: 0~40°C / 32~104°F 操作濕度: 15% ~ 80% 儲存溫度: -20~60°C / -4~140°F				
尺寸 (W x H x D)	落地型	橫式: 524 x 1482 x 401 mm / 20.6 x 58.3 x 15.8 in		橫式: 392 x 1424 x 401 mm / 15.4 x 56.1 x 15.8 in	
		直式: 380 x 1572 x 401 mm / 15.0 x 61.9 x 15.8 in		直式: 380 x 1511 x 401 mm / 15.0 x 59.5 x 15.8 in	
	桌上型	橫式: 524 x 728 x 324 mm / 20.6 x 28.7 x 12.8 in		橫式: 392 x 671 x 324 mm / 15.4 x 26.4 x 12.8 in	
		直式: 324 x 818 x 324 mm / 12.8 x 32.2 x 12.8 in		直式: 290 x 752 x 324 mm / 11.4 x 29.6 x 12.8 in	

\*Specification is subject to change without prior notice

# Alfred

## 規格



項目	AD-215		AD-156		
顯示螢幕	21.5", 16:9 , 1920 x 1080 (300 nits)		15.6", 16:9 , 1366 x 768 (220 nits) 15.6", 16:9 , 1920 x 1080 (400 nits) options		
觸控螢幕	PCAP Touch				
處理器	Rockchip RK3399				
記憶體裝置 / 容量	LDDR4 4GB				
儲存裝置 / 容量	eMMC 32GB + 1x Micro SD Card Slot (up to 128GB)				
外部 I/O 介面	2 x serial ports, RS-232 (RJ45), 0V/5V/12V selected in setting (COM1, COM2)				
	1 x LAN (IEEE 802.3 10/100/1000 Mbps)				
	1 x RJ11 port supports 2 cash drawer with 24V / 12V by jumper setting				
	1 x DC +12V output				
	1 x USB3.0 (OTG) + 5 x USB2.0				
	1 x DC +12V input				
	1 x audio (1 x line-out)				
	1 x HDMI				
	1 x micro SD Card				
喇叭	1 x speaker (3W)				
印表機	3" thermal printer				
條碼掃描器	2D barcode scanner				
外接設備 (選配)	MSR, EMV terminal brackets, 5MP camera, RFID / NFC reader, ADA keypad LED status indicator (multi-color light bar) Wheels kit: two wheels & one handle				
安裝 (選配)	Desktop stand, floor stand, wall mount (standard VESA)				
WIFI/藍芽 (選配)	2.4GHz/5GHz (IEEE 802.11a/b/g/n/ac), BT 4.2 (supports BLE)				
作業系統	Android 11				
電源	AC-In 100~240V / DC-Out 12V, 90W		AC-In 100~240V / DC-Out 12V, 65W		
可靠度	操作溫度 : 0~40°C / 32~104°F				
	操作濕度 : 15% ~ 80%				
	儲存溫度 : -20~60°C / -4~140°F				
尺寸 (W x H x D)	落第型	橫式 : 524 x 1482 x 401 mm / 20.6 x 58.3 x 15.8 in		橫式 : 392 x 1424 x 401 mm / 15.4 x 56.1 x 15.8 in	
		直式 : 380 x 1572 x 401 mm / 15.0 x 61.9 x 15.8 in		直式 : 380 x 1511 x 401 mm / 15.0 x 59.5 x 15.8 in	
	桌上型	橫式 : 524 x 728 x 324 mm / 20.6 x 28.7 x 12.8 in		橫式 : 392 x 671 x 324 mm / 15.4 x 26.4 x 12.8 in	
		直式 : 324 x 818 x 324 mm / 12.8 x 32.2 x 12.8 in		直式 : 290 x 752 x 324 mm / 11.4 x 29.6 x 12.8 in	

\*Specification is subject to change without prior notice

## Contact Now

**TAIWAN** E-mail:sales@partner.com.tw  
**USA** E-mail:sales@partnertechcorp.com  
**EUROPE** E-mail:info@partner-tech.eu  
**UK** E-mail:sales@partnertechuk.com  
**CHINA** E-mail:sales@partnertech.com.cn

**MIDDLE EAST** E-mail:info@partnertechme.com  
**AUSTRALIA** E-mail:sales@partner-tech.com.au  
**SOUTH EAST ASIA** E-mail:ptse@partner.com.tw  
**JAPAN** E-mail:sales-jp@partner.com.tw

