

Kiosk

Paula II Self-Checkout Kiosk



FEATURES

- 21.5" or 15.6" PCAP touch display for intuitive interaction
- Integrated high-performance 2D barcode scanner and thermal printer
- LED tri-light pole with optional AI-powered security camera for item identification, surveillance, and age verification
- Built-in security scale for accurate weight verification
- EAS tag deactivation for seamless security management
- ADA-compliant keypad for accessibility
- Universal payment bracket for versatile transaction options

Kiosk

PARTNER

For an optimized workflow



Increase Sales Capacity



Quick & Convenient



Intelligent Fraud Prevention



Kiosk



Specifications



Item	Paula II	
Size	21.5"	15.6"
Aspect Ratio	16:9	
Resolution	1920 x 1080	1366 x 768 (option 1920 x 1080)
Brightness	300 nits	220 nits (option 400 nits)
Touch	PCAP touch	
CPU	Intel® Core™ i3-1215U (Alder Lake) Intel® Core™ i5-1245U, vPro (Alder Lake) Intel® Core™ i7-1265U, vPro (Alder Lake)	
Memory	DDR4 8GB, 16GB, 32GB	
Storage	M.2 PCIe SSD: 128GB, 256GB, 512GB, 1TB	
I/O Ports	1 x RJ45 Ethernet (host) 1 x RJ45 Ethernet (option: EMV terminal) 2 x USB 2.0 (option) 1 x power switch button	
Speaker	1 x speaker 3W	
Printer	RP-700, Epson TM-m30 (option)	
Barcode Scanner	2D barcode scanner	
Optional Peripheral	LED tri-light pole (several options) AI-powered camera module (item identification, surveillance, age verification options) Security scale module Electronic Article Surveillance (EAS) EMV terminal bracket ADA keypad: An assistive, audio-enabled keypad designed for easy menu navigation.	
Wi-Fi/BT(option)	Wi-Fi 6E Intel AX210 IEEE 802.11 a/b/g/n/acR2/axR2, BT 5.3	
Operating System	1. Windows 11 IoT LTSC 24H2 (64bit) 2. Linux (Ubuntu 22.04)	
SW (option)	SW TPM 2.0 Intel vPro (i5 /i7 only)	
Reliability	System operating temperature: 5~40°C / 32~104°F System humidity: 15% ~ 80% Storage temperature: -20~60°C / -4~140°F	
Dimensions (W x H x D)	365 x 1225 x 322.93 mm / 13.19 x 48.23 x 12.65 in	

*Specification is subject to change without prior notice

Contact US

Partner Tech USA Inc.
1255 N. Patt Street
Anaheim, CA 92801
Phone: 949-598-1888
sales@partnertechcorp.com

Partner Tech Mexico & Latin America
Blvd. Palmas Hills 1, Piso 8, Valle de las Palmas, Huixquilucan
Ciudad de México, 52764, Mexico
Phone: 949-598-1888
info@partnertechcorp.com

